



Om Narayan  
Vice President Safety and Services

Mr. Saryu Rai  
Hon'ble Member  
Jharkhand Legislative Assembly &  
Chairman, Environment & Pollution Control Committee  
42, J-Road, Bistupur  
Jamshedpur-831001

1st Nov 2007

**Sub.: Environment and pollution control in and around Jamshedpur**

Ref.: Your letter#652/07 dated 25.09.07 addressed to our Managing Director

Dear Sir,

Kindly refer to your above letter addressed to MD, Tata Steel. Since MD is out of country, I have been directed to reply to your letter. We will like to thank you for the letter expressing your concern towards environment and pollution control measures at Tata Steel. In order to address your observation appropriately, we are taking necessary action to ensure that the skyline remains as clear as possible.

In our proposed expansion project beyond 5.0 MTPA, we have carefully evaluated the impact on environment and all necessary pollution control measures are being planned, in order to ensure that it doesn't adversely affect the local environment. We are designing our pollution control equipment to address stringent norms well beyond the legal requirements in India. This involves installation of latest technology pollution control equipment and even upgrading the old pollution control equipment. We are in the process of implementation of these actions to improve our environment.

Tata Steel has always taken proactive measures to improve the environmental conditions in and around Steel Works, even if, it required substantial capital expenditure. Our commitment to clean environment remains as strong as ever.

I will request you to spare some time in near future and see the results of our effort and also guide us for future actions.

With warm regards,

Yours sincerely,

(Om Narayan)  
Vice President (Safety and Services)

**TATA STEEL**



1907 - 2007

**TATA STEEL LIMITED** Jamshedpur 831 001 India

Tel 91 657 2424600 2142242 Fax 91 657 2427819 e-mail om.narayan@tatasteel.com  
Registered Office Bombay House 24 Homi Mody Street Mumbai 400 001